This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
□ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
- Manaer	3	6704752.pn.	USPAT; US-PGPUB; EPO;	2004/09/10 13:22
-	3	6704752.pn.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/09/10
-	3169	assign\$4 near3 (ip address) with (internal\$3 inner inside within inward interior)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/09/10 14:55
-	121	ethernet near3 back\$1plane	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/09/10 14:44
_	0	(assign\$4 near3 (ip address) with (internal\$3 inner inside within inward interior)) and (ethernet near3 back\$1plane)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/10 14:19
_	30		IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/09/10 14:19
-	35	sorrell.xa.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/09/10 14:47
-	2	6757748.pn.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2004/09/10 14:48
_	226	assign\$4 near3 (ip address) with (internal\$3 inner inside within inward interior) with bus	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/10 15:21
-	70	assign\$4 near3 (ip address) with ((internal\$3 inner inside within inward interior) near3 bus)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/10 14:59
_	6396	<pre>(ignor\$4 deny\$3 refus\$4 ("not" adj accept\$5)) with ((external\$3 outside outer outward) ("not" near3 (internal\$3 inner inside within inward interior)))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/10 16:41
_	322	<pre>(ignor\$4 deny\$3 refus\$4 ("not" adj accept\$5)) with (request demand ip address)with ((external\$3 outside outer outward) ("not" near3 (internal\$3 inner</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/13 10:24
-	2	inside within inward interior))) ((ignor\$4 deny\$3 refus\$4 ("not" adj accept\$5)) with (request demand ip address)with ((external\$3 outside outer outward) ("not" near3 (internal\$3 inner inside within inward interior)))) and (assign\$4 near3 (ip address) with (internal\$3 inner inside within inward interior) with bus)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 15:08

_	66	accept\$5)) with (request demand ip	USPAT; US-PGPUB;	2004/09/10 15:10
		address)with ((external\$3 outside outer outward) ("not" near3 (internal\$3 inner	EPO; JPO; DERWENT;	
		inside within inward interior)))) and ethernet	IBM_TDB	
-	37		USPAT; US-PGPUB;	2004/09/10 15:10
		address) with ((external\$3 outside outer	EPO; JPO;	13.10
		outward) ("not" near3 (internal\$3 inner inside within inward interior)))) and	DERWENT; IBM_TDB	
_	3169	ethernet) and mac assign\$4 near3 (ip address) with	USPAT;	2004/09/10
		(internal\$3 inner inside within inward interior)	US-PGPUB; EPO; JPO;	16:40
		Interior	DERWENT;	
-	182		IBM_TDB USPAT;	2004/09/10
		(internal\$3 inner inside within inward interior) with (module card adapt\$1r)	US-PGPUB; EPO; JPO;	16:40
			DERWENT; IBM TDB	
-	1	(assign\$4 near3 (ip address) with (internal\$3 inner inside within inward	USPAT; US-PGPUB;	2004/09/13 10:22
		interior) with (module card adapt\$1r))	EPO; JPO;	10.22
		and ((ignor\$4 deny\$3 refus\$4 ("not" adj accept\$5)) with ((external\$3 outside`	DERWENT; IBM_TDB	
		<pre>outer outward) ("not" near3 (internal\$3 inner inside within inward interior))))</pre>		
-	323	(ignor\$4 deny\$3 refus\$4 ("not" adj accept\$5)) with (request demand ip	USPAT; US-PGPUB;	2004/09/13
	:	address)with ((external\$3 outside outer outward) ("not" near3 (internal\$3 inner	EPO; JPO; DERWENT;	
	1	inside within inward interior)))	IBM_TDB USPAT;	2004/09/13
		(ip address)) with (internal\$3 inner	US-PGPUB;	10:25
		inside within inward interior)) and ((ignor\$4 deny\$3 refus\$4 ("not" adj	EPO; JPO; DERWENT;	
		accept\$5)) with (request demand ip address)with ((external\$3 outside outer	IBM_TDB	
		<pre>outward) ("not" near3 (internal\$3 inner inside within inward interior))))</pre>		
-	323	(ignor\$4 deny\$3 refus\$4 ("not" adj accept\$5)) with (request demand ip	USPAT; US-PGPUB;	2004/09/13
		address)with (external\$3 outside outer outward)	EPO; JPO; DERWENT;	10.23
	242		IBM_TDB	2004/00/12
-	343	(ignor\$4 deny\$3 refus\$4 ("not" adj accept\$5)) with (request demand ip	USPAT; US-PGPUB;	2004/09/13 12:53
		address assign\$4)with (external\$3 outside outer outward)	EPO; JPO; DERWENT;	
_	1	((dhcp bootp udp) with ((assign\$4) near3	IBM_TDB USPAT;	2004/09/13
		(ip address)) with (internal\$3 inner inside within inward interior)) and	US-PGPUB; EPO; JPO;	10:29
		((ignor\$4 deny\$3 refus\$4 ("not" adj accept\$5)) with (request demand ip	DERWENT;	
		address assign\$4)with (external\$3 outside	LDM_TDD	
_	6	outer outward)) ("5517617" "6243749" "6396830"	USPAT	2004/09/13
_	50	'	USPAT;	10:30 2004/09/13
		(ip address)) with (internal\$3 inner inside within inward interior)) and	US-PGPUB; EPO; JPO;	10:47
		address near3 table	DERWENT; IBM TDB	
_	4	(dhcp bootp udp) with ((assign\$4) near3 (ip address)) with (internal\$3 inner	USPAT; US-PGPUB;	2004/09/13 11:53
		inside within inward interior) with (card	EPO; JPO; DERWENT;	
		adapt\$1r module)	IBM TDB	

	182	((assign\$4) near3 (ip address)) with (internal\$3 inner inside within inward interior) with (card adapt\$1r module)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/13 11:59
	0	<pre>(((assign\$4) near3 (ip address)) with (internal\$3 inner inside within inward interior) with (card adapt\$1r module)) and ((ignor\$4 deny\$3 refus\$4 ("not" adj accept\$5)) with (request demand ip address assign\$4)with (external\$3 outside outer outward))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 11:53
_	227	((assign\$4) near3 (ip address)) with (internal\$3 inner inside within inward interior) with (card adapt\$1r module slot)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/13 12:17
_	1173	(determin\$7 (find\$3 adj out) learn\$3 identif\$7) near4 (mac address identif\$7) near4 (receiv\$3 transmit\$3 sent) near3 (card slot adap\$1r module)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/13 15:49
_	16	<pre>(((assign\$4) near3 (ip address)) with (internal\$3 inner inside within inward interior) with (card adapt\$1r module slot)) and ((determin\$7 (find\$3 adj out) learn\$3 identif\$7) near4 (mac address identif\$7) near4 (receiv\$3 transmit\$3 sent) near3 (card slot adap\$1r module))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 12:04
_	8	<pre>((assign\$4) near3 (ip address)) with (internal\$3 inner inside within inward interior) with ethernet with (card adapt\$1r module slot)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/13
_	35	<pre>((assign\$4) near3 (ip address)) with (internal\$3 inner inside within inward interior) with (bus plane back\$1plane)with (card adapt\$1r module slot)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/13 12:49
-	241	((assign\$4) near3 (ip address)) with (internal\$3 inner inside within inward interior) with (bus plane back\$1plane)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/13 13:08
-	4	<pre>((determin\$7 (find\$3 adj out) learn\$3 identif\$7) near4 (mac address identif\$7) near4 (receiv\$3 transmit\$3 sent) near3 (card slot adap\$1r module)) and (((assign\$4) near3 (ip address)) with (internal\$3 inner inside within inward interior) with (bus plane back\$1plane))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 12:51
	2	<pre>((ignor\$4 deny\$3 refus\$4 ("not" adj accept\$5)) with (request demand ip address assign\$4)with (external\$3 outside outer outward)) and (((assign\$4) near3 (ip address)) with (internal\$3 inner inside within inward interior) with (bus plane back\$1plane))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 12:53
	6890	((assign\$4 giv\$3 provid\$ allot\$6) near3 (ip address)) with (internal\$3 inner inside within inward interior)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 13:13
_	9	<pre>((assign\$4 giv\$3 provid\$ allot\$6) near3 (ip address)) with (internal\$3 inner inside within inward interior) with ethernet with (card adapt\$1r module slot)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/13 13:11

	1	(((assign\$4 giv\$3 provid\$ allot\$6) near3 (ip address)) with (internal\$3 inner inside within inward interior) with ethernet with (card adapt\$1r module slot)) not (((assign\$4) near3 (ip address)) with (internal\$3 inner inside	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 13:11
_	131	within inward interior) with ethernet with (card adapt\$1r module slot)) (dhcp bootp udp) with ((assign\$4 giv\$3 provid\$ allot\$6) near3 (ip address)) with (internal\$3 inner inside within inward interior)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/13 13:13
_	10	<pre>((dhcp bootp udp) with ((assign\$4 giv\$3 provid\$ allot\$6) near3 (ip address)) with (internal\$3 inner inside within inward interior)) not ((dhcp bootp udp) with ((assign\$4) near3 (ip address)) with (internal\$3 inner inside within inward interior))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/13 13:14
_	121		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/13 13:26
-	2	20030198219.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/13 13:26
-	187	automatic adj4 (configuration assign\$4 leas\$3) near5 (internal\$3 inner inside within inward interior)	USPAT; US-PGPUB; EPO; DERWENT; IBM TDB	2004/09/13 15:43
	7	(automatic adj4 (configuration assign\$4 leas\$3) near5 (internal\$3 inner inside within inward interior)) with (address ip mac)	USPAT; US-PGPUB; EPO; DERWENT; IBM TDB	2004/09/13 15:39
_	0	20020052960.URPN.	USPAT	2004/09/13
-	692	allot\$6) near5 (internal\$3 inner inside within inward interior) near5 (ip address) near5 (card slot port adapt\$1r	USPAT; US-PGPUB; EPO; DERWENT; IBM TDB	2004/09/13 16:41
-	13	provid\$ allot\$6) near5 (internal\$3 inner inside within inward interior) near5 (ip address) near5 (card slot port adapt\$1r	USPAT; US-PGPUB; EPO; DERWENT;	2004/09/13 15:47
-	7	module server host)) with ethernet ((configur\$3 assign\$4 leas\$3 giv\$3 provid\$ allot\$6) near5 (internal\$3 inner inside within inward interior) near5 (ip address) near5 (card slot port adapt\$1r	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2004/09/13 15:47
_	23	module server host)) with (back\$plane plane mid\$2plane) ((determin\$7 (find\$3 adj out) learn\$3 identif\$7) near4 (mac address identif\$7) near4 (receiv\$3 transmit\$3 sent) near3 (card slot adap\$1r module)) and	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/13
	1	((configur\$3 assign\$4 leas\$3 giv\$3 provid\$ allot\$6) near5 (internal\$3 inner inside within inward interior) near5 (ip address) near5 (card slot port adapt\$1r module server host))	IBM_TDB	
-	29328		USPAT; US-PGPUB; EPO; DERWENT; IBM TDB	2004/09/14 10:24

				
_	150	((configur\$3 assign\$4 leas\$3 giv\$3 provid\$ allot\$6) near5 (internal\$3 inner inside within inward interior) near5 (ip address) near5 (card slot port adapt\$1r module server host)) and (709/200-226.ccls. 713/1,2.ccls. 710/3,8-10,36,100,104,300-301.ccls. 370/254,257.ccls.)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/13 16:40
_	709	<pre>(configur\$3 assign\$4 leas\$3 giv\$3 provid\$ allot\$6) near5 (internal\$3 inner inside within inward interior) near5 (ip address) near5 (card slot port adapt\$1r module server host board)</pre>	USPAT; US-PGPUB; EPO; DERWENT; IBM TDB	2004/09/13 17:08
_	152	(709/200-226.ccls. 713/1,2.ccls. 710/3,8-10,36,100,104,300-301.ccls. 370/254,257.ccls.) and ((configur\$3 assign\$4 leas\$3 giv\$3 provid\$ allot\$6) near5 (internal\$3 inner inside within inward interior) near5 (ip address) near5 (card slot port adapt\$1r module server host board))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/13 16:45
-	154	((configur\$3 assign\$4 leas\$3 giv\$3 provid\$ allot\$6) near5 (internal\$3 inner inside within inward interior) near5 (ip address) near5 (card slot port adapt\$1r module server host board)) same (ethernet plane back\$1plane mid\$plane bus)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/13 17:07
_	39	(((configur\$3 assign\$4 leas\$3 giv\$3 provid\$ allot\$6) near5 (internal\$3 inner inside within inward interior) near5 (ip address) near5 (card slot port adapt\$1r module server host board)) same (ethernet plane back\$1plane mid\$plane bus)) and (709/200-226.ccls. 713/1,2.ccls. 710/3,8-10,36,100,104,300-301.ccls. 370/254,257.ccls.)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/13 16:53
_	0 5776	20020133583.URPN.	USPAT; USPAT; US-PGPUB; EPO;	2004/09/13 16:52 2004/09/14 10:20
	9	/"4602019" "4019590" "5155909"	DERWENT; IBM_TDB USPAT	2004/09/13
_	9	("4692918" "4918589" "5155808" "5161192" "5226120" "5301303" "5319644" "5432907" "5522042").PN.		16:59
_	5945	internal adj1 address\$3	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/14
-	416	<pre>(configur\$3 assign\$4 leas\$3 giv\$3 provid\$ allot\$6) near3 (internal\$3 inner inside within inward interior) near5 (ip address) near5 (card slot port adapt\$1r module server host board)</pre>	USPAT; US-PGPUB; EPO; DERWENT; IBM TDB	2004/09/14
_	344	(configur\$3 assign\$4 leas\$3 giv\$3 provid\$ allot\$6) near3 (internal\$3 inner inside within inward interior) near3 (ip address) near5 (card slot port adapt\$1r module server host board)	USPAT; US-PGPUB; EPO; DERWENT; IBM TDB	2004/09/13 17:09
-	85	(709/200-226.ccls. 713/1,2.ccls. 710/3,8-10,36,100,104,300-301.ccls. 370/254,257.ccls.) and ((configur\$3 assign\$4 leas\$3 giv\$3 provid\$ allot\$6) near3 (internal\$3 inner inside within inward interior) near3 (ip address) near5 (card slot port adapt\$1r module server host board))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/13 17:10

_	8	(configur\$3 assign\$4 leas\$3 giv\$3 provid\$ allot\$6) near3 (internal\$3 inner inside within inward interior) near5 (ip	USPAT; US-PGPUB; EPO;	2004/09/14 10:23
		address) near5 (card slot port adapt\$1r module server host board) same chassis	DERWENT; IBM TDB	
_	0	6618762.URPN.	USPAT	2004/09/14
_	16	("4692918" "4918589" "5018137" "5060228" "5088032" "5144622" "5155808" "5161192" "5179554" "5226120" "5261044" "5301303" "5319644" "5497463" "5522042" "5764982").PN.	USPAT	2004/09/14 10:12
_	9	("4692918" "4918589" "5155808" "5161192" "5226120" "5261044" "5301303" "5319644" "5522042").PN.	USPAT	2004/09/14
_	7	(internal\$2 adj1 address\$3) same chassis	USPAT; US-PGPUB; EPO; DERWENT; IBM TDB	2004/09/14 10:23
_	257		USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/14 10:23
-	29389	710/3,8-10,36,100,104,300-301.ccls. 370/254,257.ccls.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/14 10:24
_	11	<pre>(configur\$3 assign\$4 leas\$3 giv\$3 provid\$ allot\$6) near3 (internal\$3 inner inside within inward interior) near5 (ip address) same chassis</pre>	USPAT; US-PGPUB; EPO; DERWENT; IBM TDB	2004/09/14 10:25
-	276	<pre>(configur\$3 assign\$4 leas\$3 giv\$3 provid\$ allot\$6) near3 (internal\$3 inner inside within inward interior) near5 (ip address) same case</pre>	USPAT; US-PGPUB; EPO; DERWENT; IBM TDB	2004/09/14 10:31
_	31	710/3,8-10,36,100,104,300-301.ccls. 370/254,257.ccls.) and ((configur\$3 assign\$4 leas\$3 giv\$3 provid\$ allot\$6) near3 (internal\$3 inner inside within inward interior) near5 (ip address) same case)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/14
_	136	<pre>(configur\$3 assign\$4 leas\$3 giv\$3 provid\$ allot\$6) near3 (internal\$3 inner inside within inward interior) near5 (ip address) same "frame"</pre>	USPAT; US-PGPUB; EPO; DERWENT; IBM TDB	2004/09/14
-	15	(709/200-226.ccls. 713/1,2.ccls. 710/3,8-10,36,100,104,300-301.ccls. 370/254,257.ccls.) and ((configur\$3 assign\$4 leas\$3 giv\$3 provid\$ allot\$6) near3 (internal\$3 inner inside within inward interior) near5 (ip address) same "frame")	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/14 10:36
-	7		USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/14 14:14

-	14	("4937777" "5038317" "5530842"	USPAT	2004/09/14
		"5544162" "5764924" "5781747"		11:06
		"5802278" "5905781" "6003105"		
		"6088752" "6282599" "6425033" "6484213" "6526465"		
		"2001/0040466").PN.		
_	2	5522042.pn.	USPAT;	2004/09/14
	_		US-PGPUB;	14:13
			EPO;	
			DERWENT;	
			IBM_TDB	
_	0	(709/200-226.ccls. 713/1,2.ccls.	USPAT;	2004/09/14
		710/3,8-10,36,100,104,300-301.ccls. 370/254,257.ccls.) and (configur\$3	US-PGPUB; EPO;	16:40
		assign\$4 leas\$3 giv\$3 provid\$ allot\$6)	DERWENT;	
		near3 (internal\$3 inner inside within	IBM TDB	1
		inward interior) near5 (ip address) with		
		router same back\$1plane		
-	0	(709/200-226.ccls. 713/1,2.ccls.	USPAT;	2004/09/14
		710/3,8-10,36,100,104,300-301.ccls.	US-PGPUB;	14:16
		370/254,257.ccls.) and (configur\$3	EPO;	
		assign\$4 leas\$3 giv\$3 provid\$ allot\$6) near3 (internal\$3 inner inside within	DERWENT; IBM TDB	
		inward interior) near5 (ip address) with	1011_1010	
		router same chassis		
-	15	(709/200-226.ccls. 713/1,2.ccls.	USPAT;	2004/09/14
		710/3,8-10,36,100,104,300-301.ccls.	US-PGPUB;	16:11
		370/254,257.ccls.) and (configur\$3	EPO;	
		assign\$4 leas\$3 giv\$3 provid\$ allot\$6)	DERWENT;	
		near3 (internal\$3 inner inside within inward interior) near5 (ip address) with	IBM_TDB	
		router		
_	33		USPAT;	2004/09/14
		710/3,8-10,36,100,104,300-301.ccls.	US-PGPUB;	16:11
		370/254,257.ccls.) and (configur\$3	EPO;	
		assign\$4 leas\$3 giv\$3 provid\$ allot\$6)	DERWENT;	
		near3 (internal\$3 inner inside within	IBM_TDB	
		inward interior) near5 (ip address) with (request demand\$3)		
_	38	(709/200-226.ccls. 713/1,2.ccls.	USPAT;	2004/09/14
		710/3,8-10,36,100,104,300-301.ccls.	US-PGPUB;	16:38
		370/254,257.ccls.) and (configur\$3	EPO;	
		assign\$4 leas\$3 giv\$3 provid\$ allot\$6)	DERWENT;	<u> </u>
		near3 (internal\$3 inner inside within	IBM_TDB	
	1	inward interior) near5 (ip address) with (request\$3 demand\$3)		
_	34	(dhcp (dynamic adj host adj configuration	USPAT;	2004/09/14
		adj protocol)) with ((configur\$3 assign\$4	US-PGPUB;	16:50
		leas\$3 giv\$3 provid\$ allot\$6) near3	EPO;	
		(internal\$3 inner inside within inward	DERWENT;	
		interior) near5 (ip id identif\$7 number	IBM_TDB	
_	12	address))	HCD2m-	2004/00/14
-	12	(dhcp (dynamic adj host adj configuration adj protocol)) same chassis	USPAT;	2004/09/14
		ad proceed; same chassis	US-PGPUB; EPO;	16:58
			DERWENT;	,
			IBM TDB	
_	7	(dhcp (dynamic adj host adj configuration	USPĀT;	2004/09/14
		adj protocol)) same blade	US-PGPUB;	17:01
			EPO;	
			DERWENT;	
_	168	(dhcp (dynamic adj host adj configuration	IBM_TDB USPAT;	2004/09/14
		adj protocol)) same stack\$	US-PGPUB;	17:02
		J _ = = , ,	EPO;	
]		DERWENT;	
			IBM_TDB	
-	20	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	USPAT;	2004/09/15
		adj protocol)) same rack\$	US-PGPUB;	13:47
			EPO;	
			DERWENT; IBM TDB	
L	L		T DET TOP	L

_	286	ethernet with chassis	USPAT;	2004/09/15
			US-PGPUB;	13:48
			EPO;	
			DERWENT;	
			IBM TDB	
_	4	(ethernet with chassis) and ethernet	USPAT;	2004/09/15
		near4 (benefit advantage)	US-PGPUB;	13:49
İ			EPO;	
			DERWENT;	1
			IBM TDB	
-	36	ethernet with backplane with chassis	USPAT;	2004/09/15
			US-PGPUB;	13:49
			EPO;	
			DERWENT;	
		•	IBM TDB	
_	1	(ethernet with backplane with chassis)	USPAT;	2004/09/15
		and ethernet same (benefit advantage)	US-PGPUB;	13:49
			EPO;	
			DERWENT;	
			IBM TDB	